

Total number of printed pages – 4

B. Tech
PECS 3407

Eighth Semester Examination – 2008

PARALLEL AND DISTRIBUTED SYSTEMS

Full Marks – 70

Time : 3 Hours

*Answer Question No. 1 which is compulsory
and any **five** from the rest.*

*The figures in the right-hand margin
indicate marks.*

1. Answer the following questions : 2×10
- (a) What is module granularity of a parallel algorithm ?
 - (b) What do you mean by communication geometry in the context of parallel algorithm ?
 - (c) Define running time of the parallel algorithm.

P.T.O.

- (d) What do you mean by PRAM ?
- (e) What is the need of interconnection network for parallel computer ?
- (f) What is bisection width and bisection bandwidth in case of static interconnection network ?
- (g) What is cache coherence problem in multiprocessor system ?
- (h) What are the performance metrics parallel system ?
- (i) What is the use of MPI routines in parallel programming ?
- (j) Define bisection width of dynamic networks.
2. (a) Distinguish between synchronous computation and asynchronous computation. 5
- (b) Explain the superscalar processor architecture. 5

3. (a) Define and differentiate between static and dynamic interconnection network. 5
- (b) What are the three different techniques are used in parallel computer for message passing ? 5
4. (a) Discuss the process of embedding a linear array into mesh network. 5
- (b) What are the different blocking message passing operations in MPI paradigm ? 5
5. (a) Write a brief classification of processor organization, suitable for parallel computation. 5
- (b) What do you mean by connectivity of a network ? What is arc connectivity for 3-dimensional hypercube ? 5
6. (a) Discuss the parallel formulation of Prim's algorithm to compute minimum spanning tree of a Weighted undirected connected graph ? 5

(b) What are the two primary form of data exchange in parallel computation? 5

7. Discuss cache coherence problem in multi-processor system with state diagram of a simple three state coherence protocol. 10

8. Explain the process to sort n numbers on a parallel computer with p number of processors. Where $p = 2^d$, for any positive integer d . 10

IWL